

Space 08 > 45

What is Thule Space? 80 Awnings 10 **Awning Accessories** 22 Smart Panels 24 Tents 30 Tent Accessories 44

Storage 46 > 51

What is Thule Storage 46 Flexible Storage 48 **Hanging Systems** 49 Hard Storage 50

Bike 52 > 71

Why choose a Thule Bike Carrier? 54 Bike Carriers 58 Bike Carrier Accessories 70

Comfort & Security 72 > 81

What is Thule Comfort & Security? 73 Ladders and Roof Rails Steps Ventilation Systems 77 Locks 78 80 **Snow Chains** Levelers



> Discover all Thule products for your caravan, motorhome or van

Thanks to continuous innovation, we can offer a wider range of products suitable for each type of vehicle. We want to create better possibilities to extend your vehicle with innovative options in different categories. Products that will get the maximum out of your trip and that fit your travel behaviour and specific needs.

Thule Caravan Solutions

Thule Motorhome and Van Solutions



 $\mathbf{04}$





> What is Thule Space?

The private area around your vehicle is important, whether you prefer complete privacy or an open shelter. With a wide range of Thule products, you can enjoy outdoor life while protecting yourself from the sun, rain and wind.





Elected best brand in awnings for years

> Thule Space Solutions







Thule offers a wide range of awnings with unique features in order to fit any type of vehicle. Choose the fabric and cassette colour you want! See p.10

tection against sun, rain and wind. See p.24

Thule Smart Panels

Thule Tents

Awnings can be easily paired with a range Our tents offer an open feeling of of panels to provide extra privacy and prospaciousness while providing enhanced security and privacy. They are modular, stable and solid and are made from high quality materials.

See p.30


Combine the 3 Thule Space Solutions



> Awnings

>Thule awning advantages

The Thule Omnistor awnings have a timeless design, where looks and functionality meet to provide you the ultimate pleasure and comfort. Opening and closing are done in no time thanks to a telescopic handle or a motor kit.









- Support leg with Quick Release and Quick Lock system
- Manual awnings have a telescopic hand crank
- Motorised awnings have a remote



Superior product stability

- Sturdy spring arms in combination with the innovative support of the roller tube create a perfectly tensioned fabric
- Tested in various weather conditions



Wide range of accessories

- Different accessories available to suit your lifestyle
- Awning tents and smart panels
- LED, Thule Hold Down Side Strap Kit,



Large choice in an appealing design

- Different awning solutions available for different applications
- Colour choice in cassette and fabric



Thule is the preferred awning brand

- Large range of installation brackets designed in cooperation with RV manufacturers
- Elected best brand in awnings for years

> Why choose a wall, roof or rail mounted awning?

Thule offers awnings in 3 different categories to perfectly fit your vehicule and personal needs.



Wall mounted awnings

- Most common installation on the vehicle wall
- Large range of adapters available, developed together with and approved by RV manufacturers
- Easy mounting in the awning rail of a caravan



Roof mounted awnings

- Installed on top of the RV
- Selection of adapters for specific manufacturer's models and most popular vans available
- Better integrated on the current RV design
- · Alternative in case of lack of space or width restrictions



Rail mounted awnings

- Easy installation, no brackets needed: fits into the caravan rail
- Not permanent: you can still switch between awning and canopy

>Thule finishes

Cassette finishes

All Thule Omnistor awnings are made from sturdy, stable aluminium profiles that guarantee long-lasting safety and reliability.





Anodised White







Anthracite Cream

Fabric finishes

Depending on the type of awning, you can choose different patterns for your awning fabric.







For extreme long-lasting reliability

Top-quality PVC fabric is composed of 5 layers to ensure that the awning is watertight, washable, durable and resistant to scratches.

- 1. PVC top coat: ensures colour protection and scratch resistance
- 2. Vinyl with printed pattern
- 3. Strong layer in polyester scrim

Select your awning and favourite cassette and fabric finish - To find out the available colours for each fabric, please refer to each awning

> Whatever your vehicle, find the Thule Omnistor awning you need!

			Length	Projection	Weight	Motor	Cassettes	Tents
You have a	Wall mounting							
Motorhome	Thule Omnistor 8000	p.14	3.50 > 6.00m	2.50 > 2.75m	38 > 55.40kg	• 220V		4 - See p.30
	Thule Omnistor 5003	p.15	1.90 > 4.50m	1.40 > 2.50m	15 > 33.20kg			4 - See p.30
	Thule Omnistor 4900	p.16	2.60 > 4.50m	2.00 > 2.50m	17.50 > 27.80kg			3 - See p.30
	Roof mounting							
	Thule Omnistor 9200	p.20	4.00 > 6.00m	3.00m	42.40 > 57.60kg	• 220V		4 - See p.30
	Thule Omnistor 6200	p.21	2.60 > 4.50m	2.00 > 2.50m	19.60 > 31.40kg			4 - See p.30

			Length	Projection	Weight	Motor	Cassettes	Tents
You have a	Wall mounting							
Caravan	Thule Omnistor 8000	p.14	3.50 > 6.00m	2.50 > 2.75m	38 > 55.40kg	• 220V		4 - See p.30
	Thule Omnistor 5003	p.15	1.90 > 4.50m	1.40 > 2.50m	15 > 33.20kg			4 - See p.30
	Thule Omnistor 4900	p.16	2.60 > 4.50m	2.00 > 2.50m	17.50 > 27.80kg			3- See p.30
	Thule Omnistor 2000	p.17	1.90 > 3.00m	1.30 > 2.15m	11 > 17.50kg			
	Roof mounting							
	Thule Omnistor 9200	p.20	4.00 > 6.00m	3.00m	42.40 > 57.60kg	• 220V		4 - See p.30
	Thule Omnistor 6200	p.21	2.60 > 4.50m	2.00 > 2.50m	19.60 > 31.40kg			4 - See p.30
	Rail mounting							
New	Thule Omnistor 1200	p.18	2.30 > 4.50m	2.00 > 2.50m	9 > 16.60kg		White bag	1 - See p.30

			Length	Projection	Weight	Motor	Cassettes	Tents
You have a	Wall mounting							
Van	Thule Omnistor 5003	p.15	1.90 > 4.50m	1.40 > 2.50m	15 > 33.20kg			4 - See p.30
	Thule Omnistor 4900	p.16	2.60 > 4.50m	2.00 > 2.50m	17.50 > 27.80kg			3 - See p.30
	Thule Omnistor 5102*	p.17	2.60m	2.00m	19.80kg			1 - See p.30
	Thule Omnistor 2000	p.17	1.90 > 3.00m	1.30 > 2.15m	11 > 17.50kg			
	Roof mounting							
	Thule Omnistor 6200	p.21	2.60 > 4.50m	2.00 > 2.50m	19.60 > 31.40kg			4 - See p.30
	*Suitable for VW T5							-

Leader in technology

WALL MOUNTING





+ Largest wall awning on the market, up to: 6x2.75m





Perfect tension. Thanks to Thule's unique integrated tension rafter in the spring arm, the fabric is always well tensioned. The spring arm, reinforced with a double steel cable, automatically deploys the tension rafter to ensure the awning stays stable and resistant to wind.



Easy cleaning. As standard, the Thule Omnistor 8000 is equipped with its own drainage system. This is convenient in case of rain but also when cleaning the fabric once or twice a year with the Thule PVC Cleaner.



Easy and safe. The optional 220 VAC motor with remote control allows you to open the awning without any effort. Settings are programmed digitally so that the awning always closes correctly. A safety device has been created to operate the awning in case of electricity failure.

CASSETTE FINISHES



Tents: Thule Panorama p.36 - Thule Residence G2 p.38 - Thule QuickFit p.40 - Thule EasyLink p.42 Smart Panels: Thule Blockers G2 p.26 - Thule Windscreen p.29

ACCESSORIES

Thule LED - Thule Hold Down Side Strap Kit -Thule Tension Rafter - and more - p.22 Motor: a retrofit motor can be installed after purchase (+2kg)

MODELS

Length	Projection	Weight
3.50m	2.50m	38.00kg
4.00m	2.75m	41.40kg
4.50m	2.75m	44.60kg
5.00m	2.75m	48.20kg
5.50m	2.75m	51.80kg
6.00m	2.75m	55.40kg

Thule Omnistor 5003

Forever classic

WALL MOUNTING









+ Extensive range of sizes:

1.90 to 4.50m length





Perfect design. The Thule Omnistor 5003 **Easy cleaning.** As standard, the Thule has been designed to perfectly fit your Omnistor 5003 is equipped with its ow vehicle. Its curves and straight lines combine to form a perfect harmony.




Omnistor 5003 is equipped with its own drainage system. This is convenient in case of rain but also when cleaning the fabric once or twice a year with the Thule PVC cleaner.



Extra safety. The unique Thule double lock system ensures automatic locking of the front profile and cassette while the awning is closed. This added safety device completely prevents the awning from opening while the vehicle is moving.

CASSETTE FINISHES



Tents: Thule Panorama p.36 - Thule Residence G2 p.38 - Thule QuickFit p.40 - Thule EasyLink p.42 Smart Panels: Thule Blockers G2 p.26 - Thule Windscreen p.29

ACCESSORIES

Thule LED - Thule Hold Down Side Strap Kit -Thule Tension Rafter - and more - p.22

м	^	n	=

Length	Projection	Weight
1.90m	1.40m	15.00kg
2.30m	1.80m	18.00kg
2.60m	2.00m	20.00kg
3.00m	2.50m	23.00kg
3.50m	2.50m	26.00kg
4.00m	2.50m	30.20kg
4.50m	2.50m	33.20kg

15

^{*} For fabric availability please contact your Thule recreational vehicle advisor

^{*} For fabric availability please contact your Thule recreational vehicle advisor

The leader in lightweight

WALL MOUNTING









Lightweight: 17.5kg for 2.60m length with a projection of 2m





Lightness and stability. Our engineers have invented an awning equipped with a small roller tube which enables a huge weight reduction, while increasing stability and optimising fabric tension.



Smart innovations. New design: the oval support legs are dropped vertically to reduce the risk of damaging your



Optimal closing. The unique new Thule cassette adjustment system means perfect closing of the awning even after years of usage.

CASSETTE FINISHES Anodised Anthracite

FABRIC FINISHES

Tents: Thule Residence G2 p.38 - Thule QuickFit p.40 - Thule EasyLink p.42 Smart Panels: Thule Blockers G2 p.26 - Thule

Windscreen p.29

ACCESSORIES

Thule LED - Thule Hold Down Side Strap Kit -Thule Tension Rafter - and more - p.22

MODELS

Length	Projection	Weight
2.60m	2.00m	17.50kg
3.00m	2.50m	19.60kg
3.50m	2.50m	21.60kg
4.00m	2.50m	25.60kg
4.50m	2.50m	27.80kg

Thule Omnistor 5102

Conceived for VW T5

WALL MOUNTING











Easy installation. The Thule Omnistor 5102 is developed together with and approved by VW. Its easy installation makes it the perfect fit for city living. For T5 with rack rails. Ask your VW dealer for more information.

CASSETTE FINISHES



Light Grey

FABRIC FINISH

Windscreen p.29 **ACCESSORIES**

Thule LED - Thule Hold Down Kit - and more - p.22

Tents: Thule Residence G2 / special VW T5 p.38 Smart Panels: Thule Blockers G2 p.26 - Thule

MODELS

Length	Projection	Weight
2.60m	2.00m	19.80kg

Thule Omnistor 2000

For small vehicles

WALL MOUNTING








Extra safety. A manual lock system and security lock prevent the awning from opening while your vehicle is moving. The automatic roll-in system makes it easy and quick to pack. This awning perfectly fits caravans, small vehicles, SUV and is very light.

Small length and projection: 1.90x1.30m







Smart Panels: Thule Blockers G2 p.26 - Thule Windscreen p.29

MODELS

Length	Projection	Weight
1.90m	1.30m	11.00kg
2.60m	2.00m	14.50kg
3.00m	2.15m	17.50kg

^{*} For fabric availability please contact your Thule recreational vehicle advisor

Stability and large projection, all fitting in a small bag

CARAVAN RAIL MOUNTING











Easy and fast set-up of the awning. The simultaneous swing-out of the support and tension legs enables an easy and fast set-up.



Exclusive fabric tensioning system with pump-buckle technology. Extremely user-friendly: click back and forwards to ensure the awning fabric is perfectly tensioned.



Perfect stability. Remarkable stability for a bag awning thanks to the sturdy roller tube with integrated support and tension legs. Awnings longer than 4.00m have an integrated fixation for an optional 3^{th} support leg which ensures a higher stability.



Support kit. A clever integrated tension leg support kit spreads the load safely on the caravan wall. This all fits into a small white bag.



White

FABRIC FINISHES



32

FIT

Tents: Thule QuickFit p.40 - Thule EasyLink p.42 Smart Panels: Thule Blockers G2 p.26 - Thule Windscreen p.29

ACCESSORIES

Thule Hold Down Side Strap Kit - Thule Tension Rafter - and more - p.22

Length	Projection	Weight
2.30m	2.00m	9.00kg
2.60m	2.20m	10.40kg
3.00m	2.50m	12.00kg
3.25m	2.50m	12.60kg
3.50m	2.50m	13.40kg
3.75m	2.50m	14.20kg

2.50m

2.50m

2.50m

15.00kg

15.80kg

16.60kg

MODELS

4.00m

4.25m

4.50m

^{*} For fabric availability please contact your Thule recreational vehicle advisor

For extra large vehicles

ROOF MOUNTING









Perfect tension. Sturdy spring arms ensure the awning fabric is perfectly tensioned. They also increase resistance to wind for safer usage. The spring arm, reinforced with a double steel cable, automatically deploys the tension rafter to ensure the awning stays stable and resistant to wind.



Perfect Design. The Thule Omnistor 9200 has been designed to perfectly integrate with any vehicle design. It is especially convenient for large



The biggest projection:

3 meters

Easy and safe. The optional 220 VAC motor with remote control allows you to open the awning without any effort. Settings are programmed digitally so that the frame always closes correctly. A safety device has been created to operate the awning in case of electricity

CASSETTE FINISHES



Tents: Thule Panorama p.36 - Thule Residence G2 p.38 - Thule QuickFit p.40 - Thule EasyLink p.42 Smart Panels: Thule Blockers G2 p.26 - Thule Windscreen p.29

ACCESSORIES

Thule LED - Thule Hold Down Side Strap Kit -Thule Tension Rafter - and more - p.22 Motor: a retrofit motor can be installed after purchase (+2kg)

MODELS

Length	Projection	Weight
4.00m	3.00m	42.40kg
4.50m	3.00m	45.60kg
5.00m	3.00m	50.20kg
5.50m	3.00m	53.60kg
6.00m	3.00m	57.60kg

Thule Omnistor 6200

Universal roof awning

ROOF MOUNTING





Extensive range of sizes:

2.60 to 4.50m





Maximum flexibility. The Thule Omnistor Less weight. In its aim to fulfill market's 6200 has been conceived with a range of adapters to fit all types of recreational to 4.50 meters, it suits most vehicles on the market.





needs, Thule launches lighter awnings. The Thule Omnistor 6200 is up to 20% vehicles, especially vans. In sizes from 2.60 lighter than its predecessor. Thanks to the adjustable pitch system, the awning can be opened and closed even when the sliding door of your van is open.



Clever ideas. Our engineers have created space for the Thule LED lighting, so that your vehicle can have light on the outside even when your awning is

CASSETTE FINISHES





Tents: Thule Panorama p.36 - Thule Residence G2 p.38 - Thule QuickFit p.40 - Thule EasyLink p.42 Smart Panels: Thule Blockers G2 p.26 - Thule Windscreen p.29

ACCESSORIES

Thule LED - Thule Hold Down Side Strap Kit -Thule Tension Rafter - and more - p.22

Length	Projection	Weight
2.60m	2.00m	19.60kg
3.00m	2.50m	23.00kg
3.25m	2.50m	24.00kg
3.50m	2.50m	25.40kg
3.75m	2.50m	27.00kg
4.00m	2.50m	29.00kg
4.25m	2.50m	30.20kg
4.50m	2.50m	31.40kg

21

^{*} For fabric availability please contact your Thule recreational vehicle advisor

^{*} For fabric availability please contact your Thule recreational vehicle advisor

Thule Awning Accessories

It's all in the details









This long-lasting LED strip offers strong lighting (60 power LEDs per meter) and is waterproof (IP66). The unit, flexible in length can be shortened each 5cm. Delivered with a 3M tape on the back, it sticks to most standard surfaces.

• Available in various lengths from 1 to 6m • Voltage: 12V DC • Consumption: 340-380 mA per metre



Thule Hold Down Side Strap Kit

This kit prevents the awning and tent from being damaged due to high wind. The kit is attached to the support legs and can easily be used in combination with a Thule tent or Thule Smart Panels.

• 307916



Thule Hold Down Kit

This kit strengthens your awning and tent to prevent them from flying up. It is installed over the awning length between the spring arms and the fabric.

• 307906



Thule PVC Cleaner

A long lasting awning is an awning that is well kept. Use the Thule PVC Cleaner ones or twice a year to maintain your awning fabric. Protects by applying a water-repellent and anti-static film.



Rafter system option



Thule Universal Rafter - straight

Secure your awning even in high wind, thanks to this straight aluminium tension arm with telescopic operation.

• For awnings with a projection up to 3.00m

Thule Universal Rafter - bended

This curved aluminium tension arm with telescopic operation will help you feel safe and secure, while also improving rainwater drainage.

• For awnings with a projection up to 3.00m and a length of 3.50m or more

Thule Supplementary Rafter

Straight painted steel tension arm with a compression spring. For awnings from 3.50m or more in length. Includes installation pieces. Ideal for improving rainwater drainage.

Complete your awning

to your needs

• Different models available from 2.00m to 2.75m



Thule EPDM

This black EPDM foam strip with closed cell structure seals the gap between the vehicle and awning. Perfect for roof mounted awnings.

- Length: 2 x 2m
- Thickness: 25mm
- Width: 30mm
- 308697



Thule Sealing Rubber

Ensures that the gap between the vehicle and awning is sealed when using a flat adapter. Fitted with an integrated drainage system. Perfect for wall mounted awnings.

- For series 5 and 8:
- Small 5cm / 4m 307960
- Large 8cm / 4m 307961
- Only for 4900:
- Medium 6cm / 4m 306892



Thule Gutter

This self-adhesive drainage system fits most caravans and motorhomes.

- Available in 2 sizes:
- 3.50m: 307947
- 4.50m: 307967

See more information on www.thule.com



> What are Smart Panels?

To create your own privacy under your awning, Thule offers different panels to protect you against sun, rain and wind. These panels can be combined in many ways.

3 panel solutions









Thule Sun Blockers G2

- Protect against sunMicro-Aired screen fabric
- Front and side panels

Thule Rain Blockers G2

- Protect against rainTop-quality PVC • Front and side panels

Thule Windscreen

- Protects against windMicro-Aired screen fabric
- Side panel

> Thule Smart Panels advantages







Easy and quick installation

- Front panels slide into the awning lead rail • Side panels slide into the new aluminium
- rafter between the awning's cassette and
- Smart connections to combine the Rain Blocker G2 panels

Durable and innovative fabric material

- The sun blockers are made from Micro-Aired screen fabric
- The rain blockers are made from top-quality PVC
- New Thule look in grey and black







- Many possibilities to combine the different panels
- The combination of a panel with the QuickFit or EasyLink tent is possible
- Side panels can be installed at both sides of the awning
 Rain Blocker G2 panels can be combined with smart connections





Thule Sun and Rain Blockers G2


Easily create your own privacy

AWNING FIXATION









New stylish Thule look: light grey and Thule black 100% modular: combine them to fulfill

your needs

against sun, rain or wind







Modular system. The different panels can easily be combined to your needs.




See more information on www.thule.com



Easy and quick installation. The front panels slide easily into the lead rail of the awning. The side panels can be mounted onto your awning with a new aluminium rafter between the awning's cassette and lead rail. The panel just slides into the rail opening.



Durable fabric material.



Sun Blocker: Micro-Aired screen fabric protects against the sun while letting the light in



Rain Blocker: PVC-fabric

Thule Sun and Rain Blockers

Overview

Side panels: can be installed at both sides











 $\textbf{Thule Sun Blocker G2.} \ \text{Lets the breeze in while keeping the sun out, without losing your view}$



- Thule Sun Blocker G2 Front Panel Micro-Aired fabric
 - Slides into the awning lead rail
 - Fits all Thule Omnistor awnings



	Height	Ref.
SB G2 Front 1.00m	1.70m	• 307284
SB G2 Front 2.40m	1.70m	• 307285
SB G2 Front 2.80m	1.70m	• 307286
SB G2 Front 3.30m	1.70m	• 307287
SB G2 Front 3.80m	1.70m	• 307288
SB G2 Front 4.30m	1.70m	• 307289
SB G2 Front 4.80m	1.70m	• 307290



Thule Sun Blocker G2 - Side Panel



- Micro-Aired fabric • Slides into a new aluminium rafter between the awning's cassette and
- lead rail • Can be installed at both sides

	Projection	A - Mounting Height	Ref.
SB G2 Side Medium	2.50m	2.25 > 2.44m	• 307278
SB G2 Side Large	2.50m	2.45 > 2.64m	• 307279
SB G2 Side Medium TO6900/8000	2.75m	2.25 > 2.44m	• 307280
SB G2 Side Large TO6900/8000	2.75m	2.45 > 2.64m	• 307281
SB G2 Side Medium TO9200	3.00m	2.25 > 2.44m	• 307282
SB G2 Side Large TO9200	3.00m	2.45 > 2.64m	• 307283



Thule Rain Blocker G2. Protects against wind and rain while keeping the incidence of light thanks to the large windows



- Top-quality PVC fabric
- Slides into the awning lead rail • Different panels can be combined with smart connections
- Fits all Thule Omnistor awnings

	Height	Ref.
RB G2 Front 1.00m	2.30m	• 307303
RB G2 Front 1.50m	2.30m	• 307304
RB G2 Front 1.75m	2.30m	• 307305
RB G2 Front 2.00m	2.30m	• 307306



Thule Rain Blocker G2 - Side Panel



- Top-quality PVC fabric
- Slides into a new aluminium rafter between the awning's cassette and
- Different panels can be combined with smart connections
- Can be installed at both sides

RB G2 Side Small 2.50m 2.05 > 2.24m • 307291 RB G2 Side Medium 2.50m 2.25 > 2.44m • 307292 RB G2 Side Large 2.50m 2.45 > 2.64m • 307293 RB G2 Side X-Large 2.50m 2.65 > 2.84m • 307294 RB G2 Side Medium 2.75m 2.25 > 2.44m • 307295		Projection	Mounting Height	Ref.
RB G2 Side Large 2.50m 2.45 > 2.64m • 307293 RB G2 Side X-Large 2.50m 2.65 > 2.84m • 307294	RB G2 Side Small	2.50m	2.05 > 2.24m	• 307291
RB G2 Side X-Large 2.50m 2.65 > 2.84m • 307294	RB G2 Side Medium	2.50m	2.25 > 2.44m	• 307292
	RB G2 Side Large	2.50m	2.45 > 2.64m	• 307293
RB G2 Side Medium 2.75m 2.25 > 2.44m • 307295	RB G2 Side X-Large	2.50m	2.65 > 2.84m	• 307294
	RB G2 Side Medium	2.75m	2.25 > 2.44m	• 307295
RB G2 Side Large 2.75m 2.45 > 2.64m • 307296	RB G2 Side Large	2.75m	2.45 > 2.64m	• 307296
RB G2 Side X-Large 2.75m 2.65 > 2.84m • 307297	RB G2 Side X-Large	2.75m	2.65 > 2.84m	• 307297
RB G2 Side Medium 3.00m 2.25 > 2.44m • 307298	RB G2 Side Medium	3.00m	2.25 > 2.44m	• 307298
RB G2 Side Large 3.00m 2.45 > 2.64m • 307299	RB G2 Side Large	3.00m	2.45 > 2.64m	• 307299
RB G2 Side X-Large 3.00m 2.65 > 2.84m • 307300	RB G2 Side X-Large	3.00m	2.65 > 2.84m	• 307300
RB G2 Side TO1200 2.50m 2.25 > 2.49m • 307301	RB G2 Side TO1200	2.50m	2.25 > 2.49m	• 307301
RB G2 Side TO6200-Ducato 2.50m 2.30 > 2.50m • 307302	RB G2 Side TO6200-Ducato	2.50m	2.30 > 2.50m	• 307302

Thule Sun and Rain Blocker G1 - Front Panel







- Non-transparant PVC fabric
- Slides into the awning lead rail • Fits all Thule Omnistor awnings

	Height	Ref.
S+R B G1 Front 2.40m	1.40m	• 307588
S+R B G1 Front 2.80m	1.40m	• 307592
S+R B G1 Front 3.30m	1.40m	• 307594
S+R B G1 Front 3.80m	1.40m	• 307596
S+R B G1 Front 4.30m	1.40m	• 307598
S+R B G1 Front 4.80m	1.40m	• 307600

See more information on www.thule.com

Thule Windscreen

Even more privacy

WALL FIXATION





Fits all types of vehicle and awnings



Modular installation. The Thule Windscreen is easy and quick to set up thanks to its automatic roll in and out system. It can be fixed to your vehicle via wall fixation or into the caravan rail. Unroll it and pair it either to your awning leg (see picture) or make it free standing with the strap kit delivered with the product.



Smart innovation. The Thule Micro-Aired system lets the light and breeze in while keeping the elements out and ensuring privacy. It allows the fabric to "breathe" while being strong enough to prevent any danger of wind damage.



EASY STORAGE

The Thule Windscreen is delivered with a bag for easy storage and space-saving.





INFO

- Total height: 1.55m
- Fabric's height: 1.40m
- Length: up to 3m extension
- Weight: 4.5kg

• 306456



> Why does a Thule awning tent offer you more?



- 1 Awning can easily be used separately without an awning tent
- 2 Easier and faster to install than a traditional
- Variety of solutions for different travel behaviour
- 4 Customisation of the space under your awning to your needs

> Thule tent advantages



Easy installation

- Open the awning = tent roof
- Attach the tent to the awning structure



Stability and security

- High quality textile for different tent applications (Airtex, Ripstop,...)
- Awning structure in combination with tent installation profiles for a high sturdiness
- Tested in various weather conditions



Innovative and high quality design

- Contemporary design in line with the awning design
- Large windows invite maximum light and create an extra feeling of spaciousness
 • Clever innovations : integrated curtains -
- clamping profiles...
- Permanent ventilation



- Tent can be installed completely but separate parts can be removed
- Individual sides can be installed such as sun and rain blockers

> Whatever your lifestyle and vehicle, find the Thule tent you need! You want to have a long stay See p.36 **Thule Panorama** · High quality materials in a timeless design Thule Omnistor 6.00m 2.30m Luxury • Easy installation and user-friendly • 8000 AIRTEX* bag Ducato • 5003 • Large windows offer a panoramic view • 5002 • High sturdiness and extremely high stability • 9200 • Thule Windslip • 2 luxury bags See p.38 **Thule Residence G2** High quality fabric Thule Omnistor 6.00m Long-lasting 2.15m 28.6kg Optional Classic • 8000 • User-friendly and modular VW T5 PVC fabric 3.10m bag • Living space up to 17.40m² • 5003 • 5102 Luxury bag • Large windows invite maximum light • 4900 (Option) • 5500 • 5002 • Classic bag • 6002 • 9200 • 6200 • 6900

You want to have a **short stay**

Thule QuickFit	See p.40												
	 Universal awning tent For awnings with a projection from 2.50m Only 15 minutes to set up and ultra-light Double roof to create a better ventilation Two permanent ventilation openings ALL IN Thule Windslip and Wheelcover Curtains Sport bag 		٠	• Ducato	Thule Omnistor	Ultra-fast	Innovative RIPSTOP fabric	3.60m	2.25m 2.84m	20kg	Included	Included	Sport bag
Thule EasyLink	See p.42												
New	Universal awning tent For awnings with a projection from 2.25m Easy and fast installation Sloping front panel Double roof to create a better ventilation ALL IN Thule Windslip and Wheelcover Curtains Sport Bag	٠	٠		Thule Omnistor • 8000 • 5003 • 4900 • 5002 • 5500 • 9200 • 6900 • 6200 • 6002 • 1200 • Caravan Style + other brands	Ultra-fast	Innovative RIPSTOP fabric	3.60m	2.25m 2.55m	14.3kg	Included	Included	Sport bag

32

Thule Panorama



Thule Residence G2

See p.38



Thule QuickFit

See p.40



Thule EasyLink



Thule Panorama

High comfort, clever innovations

LONG STAY












Thule Mosquito. Optional zippable mosquito screens to keep dirt and vermin out. Creates an optimal ventilation. Easy to clean.


- For all models
- For ≥ 4m front and sides



Clamping profile. A clamping profile ensures mounting and connection of the side panel to the awning fabric. It's the perfect roof sealing. The side panels slide into the clamping profile for easy installation.



Quick installation. The front and side panels simply slide into rails and ensure a quick installation. Front and side panels clamping profile, the tent offers extreare combined with a zipper.



High sturdiness. Thanks to a diagonal support between the mast and the mely high stability. A double rubber flap attached to the mast profile ensures full sealing with the vehicle wall.



Innovative fabric material. AIRTEX® is a 100% polyester fabric coated on one side with acrylate and impregnated with a finish based on Teflon. The fungicide finish prevents the development of fungus and mildew. The fabric absorbs almost no moisture and provides optimal water tightness. It is very low-maintenance and washable.





See more information on www.thule.com

36

Modularity:

customised to your needs

New for Ducato:

special model for Ducato



Front panel design. Depending on your awning's size, the front panel design of the tent varies but with no compromise on luminosity and comfort. The large windows offer you a stunning 180° panoramic view.





Modularity. The Thule Panorama is completely adaptable to satisfy all your needs. You can fully remove the large front windows. You can also open them vertically to use as a door, or open them horizontally to let the fresh air in. The tent panels can also be used as sun and rain blockers to protect you from sun, rain and wind.



- Thule Omnistor 8000 5003 5500 5002 -9200 - 6200 - 6900 - 6002
- Maximum length: 6.00m

ACCESSORIES

• Thule Curtains • Thule Mosquito - See p.44

- Thule Windslip: prevents the wind from entering through the gap below your vehicle
- 2 luxury bags to store: the pegs, the clamping

Model	A - Mounting height
Medium	2.30m > 2.44m
Large	2.45m > 2.59m
X-Large	2.60m > 2.74m
Duesto	2.70m > 2.50m

A = measured from ground to bottom of awning cassette / Weight for a 3.00m Medium: 29.50kg - Weight for a 6.00m Large: 35.50kg

Thule Residence G2

A real living room in the outdoors

LONG STAY













Clamping profile. A clamping profile ensures mounting and connection of the side panel to the awning fabric. It's the perfect roof sealing. The side panels slide into the clamping profile for easy installation.



Easy installation. This tent offers extremely high stability while being quick and easy to install: the front panel simply sealing with the vehicle wall. slides into the lead rail of the awning and a clamping profile ensures mounting and connection of the side panel to the awning fabric.



Robust insulation. A double rubber flap attached to the mast profile ensures full



Dark grey

38

Light grey

Fabric.

High quality PVC fabric for optimum wind and water tightness.

• The front panel can be customised to your awning fabric: 03 - 04 - 31- 32 - 22


See more information on www.thule.com

Robust insulation


Special model for VW T5 to fit the Thule Omnistor 5102




Front panel design. Depending on your awning's size, the front panel design of the tent varies. Large windows invite maximum light and create an extra feeling of spaciousness.







Front 4 to 5.50m



Modularity. Side windows can be fully opened. The front panel rolls up completely. Available with door on the left or right side.

• Thule Omnistor 8000 - 5003 - 4900 - 5500 - 5002 - 5102 - 9200 - 6200 - 6900 - 6002

• Awnings from 3m to 6m

ACCESSORIES

- Thule Curtains
- Thule Windslip: prevents the wind from entering through the gap below your vehicle
- Thule Luxury Bag See p.44

NOTE

ALL IN

the tent..

• Front and side panels need to be ordered

• A bag to store the pegs, the tent tubes,

MODELS

Model	A - Mounting height
Small	2.15m > 2.29m
Medium	2.30m > 2.44m
Large	2.45m > 2.59m
X-Large	2.60m > 2.74m
XX-Large	2.75m > 2.89m
XXX-Large	2.90m > 3.10m

A = measured from ground to bottom of awning cassette / Weight for a 3.00m Medium: 27.00kg - Weight for a 6.00m Large: 33.50kg

Thule QuickFit

Ultra-fast set up

SHORT STAY











Thule Mosquito. Optional zippable mosquito screens to keep dirt and vermin out. Creates an optimal ventilation. Easy to clean.

- For all models
- For front and sides



Light and robust structure. The tent is ultra-light from 16 to 19kg depending on the size.



Double roof. The double ceiling is created **Permanent ventilation.** The tent has two awning. It creates a better ventilation and to reduce condensation. insulation.



by suspending the tent below the cassette permanent ventilation openings in order



Innovative fabric. It is made out of Ripstop fabric: a lighweight woven and tear-resistant material used for aeronautical engineering. Not to mention that this material also has a strong water resistant coefficient. Because it's connected with an awning, the double roof offers a good insulation to keep the tent and vehicle cool.

INSTALLATION

- Universal fitting on most awning types • Slides into the awning rail of a caravan or into an optional QuickFit rail:
- for roof awning 6200/9200 307050
- for wall mounted awnings 307205 307206






See more information on www.thule.com

Modularity:

fully zippable panels

Design: contemporary look



Fast and easy set up. The complete tent is in one piece and doesn't need profiles. It easily slides into the caravan rail or the additional rail below the awning cassette, and is fixed to the front rail of the awning. The front canopy is installed with flexible arch tubes. All fastening points have been thought through to enhance the installation.





Modularity. All sides are fully zippable: can be taken away to create an open porch, can be opened side-ways to create a door on all sides, left or right, can be opened from top to bottom to create an open window.



- Thule Omnistor 8000 5003 4900 5500 -5002 - 9200 - 6200 - 6900 - 6002 - 1200 + other brands
- Maximum length: 3.60m

ACCESSORIES

- Thule Mosquito
- Thule Side Tensioning Kit
- Thule Projection Kit See p.44

ALL IN

- Thule Windslip: prevents the wind from entering through the gap below your vehicle
- Curtains with zippers
- A bag to store: the pegs, the arch tubes, the tent...

MODELS

Model	A - Mounting height	Min. awning length
2.60m Medium	2.25m > 2.44m	3.00m
3.10m Medium	2.25m > 2.44m	3.50m
3.60m Medium	2.25m > 2.44m	4.00m
2.60m Large	2.45m > 2.64m	3.00m
3.10m Large	2.45m > 2.64m	3.50m
3.60m Large	2.45m > 2.64m	4.00m
2.60m X-Large	2.65m > 2.84m	3.00m
3.10m X-Large	2.65m > 2.84m	3.50m
3.60m X-Large	2.65m > 2.84m	4.00m
3.00m Ducato	2.30m > 2.50m	3.25m

41

A = measured from ground to tent rail / Weight for a 2.60m Medium: 15.70kg - Weight for a 3.60m X-Large: 18.40kg



Thule EasyLink

Universal lightweight awning tent

SHORT STAY







Double roof. The double ceiling is created **Ventilation.** Side windows are compleby suspending the tent below the cassette awning. It creates a better ventilation and insulation.



tely in mosquito mesh to keep dirt and vermin out, and create an optimal ventilation. The windows are covered with external blinds with zippers.



Design. The tent is ultra-light from 12.2 to 14.3kg depending on the size. It has a timeless design thanks to the combination of black, grey and white.



Innovative fabric. It is made out of Ripstop fabric: a lightweight woven and tear-resistant material used for aeronautical engineering. Not to mention that this material also has a strong water resistant coefficient. Because it's connected with an awning, the double roof offers a good insulation to keep the tent and vehicle cool.

INSTALLATION

- Universal fitting on most awning types
- Slides into the awning rail of a caravan or into an optional EasyLink rail:
- for roof awning 6200/9200 307050
- for wall mounted awnings 307205 307206

Universal fitting

on awnings with a projection from 2.25m

Easy and fast installation



Very easy and fast to set up. The tent fits perfectly the awning structure and doesn't need additional profiles. It easily slides into the caravan rail or the additional rail below the awning cassette and is fixed to the front rail of the awning.





Modularity. Front panel with integrated doors at both sides. The front panel can be rolled up completely.



- Thule Omnistor 8000 5003 4900 5500 -5002 - 9200 - 6200 - 6900 - 6002 - 1200 -Caravan Style + other brands
- Maximum length: 3.60m

ACCESSORIES

- Thule Side Tensioning Kit
- Thule Projection Kit See p.44

ALL IN

- Thule Windslip: prevents the wind from entering through the gap below your vehicle
- Curtains with zippers
- · A bag to store: the pegs, the tent...

MODELS

Model	A - Mounting height	Min. awning length
2.60m	2.25m > 2.55m	3.00m
3.10m	2.25m > 2.55m	3.50m
3.60m	2.25m > 2.55m	4.00m

43

A = measured from ground to tent rail / Weight for a 2.60m: 12.20kg - Weight for a 3.60m: 14.30kg

See more information on www.thule.com

Thule Tent Accessories

It's all in the details







Suitable for Thule Panorama and Thule Residence G2





Thule Mosquito

Zippable mosquito screen to keep dirt and vermin out. Creates an optimal ventilation. Easy to clean.

- Suitable for Thule Panorama
- · For all models
- For ≥ 4m front and sides





- Available in blue and grey
- Available in different sizes



Thule Luxury Bags

For storing your Thule tent - Set contains 1 large bag (20x30x120cm) and 1 smaller bag (20x20x120cm).

- Made from high quality polyester fabric

44



Thule Windslip

Prevents the wind from entering through the gap below your vehicle.



Thule Hold Down Side Strap Kit

This kit prevents the awning and tent from being damaged due to high wind. The kit is attached to the support legs and can easily be used in combination with a Thule tent or Thule Smart Panels.

• 307916

Suitable for Thule QuickFit and Thule EasyLink





Complete your tent to your needs

Thule Mosquito

Zippable mosquito screen to keep dirt and vermin out. Creates an optimal ventilation. Easy to clean.

- Suitable for Thule QuickFit
- For all models
- For front and sides

Thule Projection Kit


8 buckles with strap to mount the Thule QuickFit/EasyLink tent to awnings with a projection from 2.75 to 3.00m.

Thule Side Tensioning Kit

2 sets of fiberglass poles for a better sealing of the Thule QuickFit/EasyLink tent with the wall of the vehicle.

45

Thule Mounting Options



NOTE - Awning Fixation Kit F: 8 fixation parts to mount the Thule QuickFit/EasyLink tent on Fiamma awnings - 307061

See more information on www.thule.com



> Why choose the Thule Storage Solutions?

Space is always too tight, therefore a flexible storage is mandatory. It allows you to have a place for each item and easy access to it. With our smart organizers and boxes you can store your things inside or outside to fully enjoy your free time.

> Thule Storage advantages

In order to easily store your belongings, we offer different kinds of organizers. These clever solutions help you keep a range of essential items at hand's reach.







- Integrated carry handles for easy transport
- Foldable for compact storage when not in use



Water resistant

- Made from 100% polyester
- Durable and strong materialWeather and water resistant



Practica

- Your belongings at hand's reach
- To be used inside or outside your vehicle
- Different hanging options

> Whatever your needs, find the right Thule Storage Solution!

			Foldable	Capacity	Application	Water resistant	Size
'ou have a lotorhome,	Soft storage						
Caravan or Van	Thule Go Box	p.48	•	M = 65L/L = 80L	Indoor/outdoor	•	61x36x30cm 61x46x30cm
	Thule Toiletry Kit	p.48	•	13 pockets	Indoor/outdoor	•	40x35cm
	Thule Wall Organizer	p.48	•	14 pockets	Indoor/outdoor	•	85x50cm
	Thule Shoe Organizer	p.48	•	10 pair	Indoor/outdoor	•	80x55cm
<u> </u>	Thule Countertop Organizer	p.49	•	Various	Indoor/outdoor	•	40x90cm
	Thule Trash Bin	p.49		50L	Indoor/outdoor	•	35x35x70cm
	Hard storage						
New	Thule Touring	p.50		330L - 420L	Roof top	•	139x90x40cm 196x78x43cm
	Thule Top Box	p.51		375L - 500L	Roof top	•	134x94x43cm 187x89x40cm
	Thule Carry All Box	p.51		450L	Rear wall	•	147x53x69cm

Thule Storage Solutions

Timeless design in black and grey

FLEXIBLE STORAGE









Practical: integrated carry handles







Thule Go Box

- 2 main compartments, 3 side pockets
- It is simple to carry and folds up quickly to store when not being used
- The foldable cap offers absolute rain protection with no extra weight

INFO

- Technical outdoor fabric water resistant
- Medium: 61x36x30cm 306929
- Large: 61x46x30cm 306930



INFO

during transport

- Technical outdoor fabric water resistant

- Thule Strap Kit for Organizers (not included)
- Thule POD 2.0 (not included)

Thule Wall Organizer

• 14 pockets in 2 different sizes



Thule Toiletry Kit

- Ideal to use in the bathroom
- 13 separated compartments
- Easy to carry thanks to the handle on top

INFO

- Closed: 40x35cm open: 120x35cm
- Technical outdoor fabric water resistant • 306928

• L-shaped hook - fits over doors



Thule Shoe Organizer

- Ideal to store 10 pair of shoes
- 10 large and 2 mesh pockets
- Small ventilation holes ensure fresh air
- Integrated cover with zipper

• Technical outdoor fabric - water resistant

- Thule Strap Kit for Organizers (not included)
- Thule POD 2.0 (not included)





Thule Countertop Organizer


- Keeps all essential items within reach
- Different compartments and elastic loops
- Integrated paper towel holder

INFO

• 40x90cm

- Technical outdoor fabric water resistant
- 306926

- Thule Strap Kit for Organizers (not included)
- Thule POD 2.0 (not included)



Thule Trash Bin

- Keeps your waste or laundry out of sight and off the ground
- Suitable for trash bags of 50L
- A zipper at the bottom makes it easy to empty and clean

INFO

- 35x35x70cm
- Technical outdoor fabric water resistant
- 306927

Fixation:

• Thule POD 1.0 (not included)



Thule Hanging Systems

To easily mount your organizers, Thule created different hanging systems.



Thule Strap Kit for Organizers

- Fits in the caravan rail or the lead rail of your awning
- Maximum load: 10kg/strap
- Quick release system
- Black set of 2 pieces • 307124



Thule POD 2.0

- Mounted with 2 screws
- New design, compact and discrete
- Maximum load: 10kg/POD
- White set of 2 pieces
- 55x30x12mm
- 306804



Thule POD 1.0

- Mounted with 2 screws
- Cover included • White - set of 2 pieces
- 88x52x44mm
- 307620

See more information on www.thule.com



Thule Touring The functional roof box

Capacity: 330L - 420L

TOP MOUNTING















Dual-Side. Enables the box to be opened from both sides of the roof. This does not only mean easy loading and access to the load, but also facilitates mounting of the roof box.



Central locking. This roof box has several locking points for maximum safety and theft protection. The central locking feature means that the key can resistant to scratches. only be removed if all locking points are securely closed.

Thule Touring 780



Thule Touring 100



INFO

Volume: 330L	Load capacity: 50kg
Weight: 10kg	Material: titan aeroskin
• 139x90x40cm	• 634100

• Volume: 420L • Load capacity: 50kg • Weight: 15kg · Material: titan aeroskin

 $\textbf{2 DIFFERENT MOUNTING OPTIONS} \cdot \text{FastClick mounting system (standard)} \cdot \text{With T-track adapter} \cdot 306680 / \text{With T-track adapter} + \text{mounting rack} \cdot 306681 / \text{With T-track adapter} \cdot 306680 / \text{With T-track adapter}$ (only needed for flat mounted crossbars)

See more information on www.thule.com

Thule Top Box


Smart and robust

TOP MOUNTING









Thule Top Box 130

+ Capacity:

375L - 500L



- Volume: 375L • Weight: 15kg
- 134x94x43cm
- Material: white ABS
- 307609





- Volume: 500L • Weight: 20kg
- 187x89x40cm
- 307610

Thule Carry All Box Huge volume

• With mounting rack - 307894 • With mounting bridges - 307893

2 DIFFERENT MOUNTING OPTIONS









REAR MOUNTING



Spacious and sturdy. The Thule Carry All Box is extremely user-friendly thanks to its mounting height. The box can either be mounted on a 3 bikes bike carrier, or onto the special carrier frame directly on the rear panel. The luggage is protected by an elastic net.



2 DIFFERENT MOUNTING OPTIONS

• On a bike carrier • On a mounting frame - 308138

NOTE

When mounted onto a bike carrier, the maximum load capacity is determined by the maximum load capacity of the bike carrier minus the weight of the box.

- Volume: 450L
- Weight: 22kg
- 147x53x69cm
- Material: white ABS+





> Why choose a Thule Bike Carrier?

Whatever your vehicle, its size and its weight, and whatever your bike, from cyclo-cross to electric, the large range of Thule Bike Carriers covers all your needs.





A leading brand in bike carriers for years


> Thule Bike Carrier advantages

Thule bike carriers stand for extreme stability, premium quality and superior product safety. Each bike carrier has smart innovative features that are unique in the market making them easy to use and simple to install. And on top of that, they look great on your vehicle.










- Bike holders: easy to change position, soft touch, for any type of bikes, built-in security locks - See p.58
- Wheel holders: perfect fit, easy slide from left to right, wheel straps with pump buckle - See p.58
- Extendable: add easily an extra rail for a 3^{rd} or 4^{th} bike - See p.58
- Adjustable Tilt-Stop system: easy access to the front locker of a caravan thanks to the adjustable tilt angle - See p.66





- Appealing design
- Stylish anodised aluminium
- Non glossy black plastic parts • Perfect fit with any type of vehicle





Ease of installation

- Many pre-assembled parts ensure a faster installation
- Fast click connections make the installation very easy
- · Large range of adapters available, developed in cooperation with and approved by the recreational vehicle manufacturers

> Thule Bike Carrier safety

All our bike carriers are made of top quality aluminium that combines optimal robustness and lightness.



Thule Test Center

 With the Thule Test Program™ as part of the development process, Thule products are tested to the highest standards in the



High quality materials

- Made from the highest quality materials that last over time
- Extra strong aluminium guarantees stability and reliability
- Durable and weatherproof



Product safety features


- Safe and easy platform lock See p.66 • Lockable platform to avoid movement
- during transport See p.58



TUV Approved

TÜV Rheinland is the leading provider of product testing and certifications for worldwide marketplace. TÜV Rheinland specialists certify safety and quality.

> Whatever your vehicle, find the right Thule Bike Carrier you need!



See p.68

See p.62

See p.68

2 models

See p.69

See p.62

See p.58

1 model

See p.64

See p.60

1 model

1 model

See p.64

See p.66

See p.58

Thule Caravan

Smart 1 model

See p.66

1 model

See p.64

		Standard number of bikes	Max. number of bikes (optional)	Max loading weight	Maximum bike weight	For E-bikes	Sliding Rail left - right	Sliding Rail in depth	Lockable platform	Bike holders	Weight
REAR WALL											
Thule Excellent	p.58	2	4	60kg	30kg	•	•	•	Automatic	With locks	10.6kg
Thule Elite G2	p.60	2	4	60kg	30kg	•	•		Manual	Optional with lock	9.5kg 10.1kg
Thule Sport G2	p.62	2	3	50kg 38kg	19kg		•		Manual	Optional with lock	6.8kg 8.2kg
Thule Lift	p.68	2	3	50kg	19kg		•			Optional cable lock	15.5kg 16kg
GARAGE											
Thule Sport G2 Gara	nge p.63	2	4	50kg	19kg	•	•			Optional with locks	5.6kg

8.9kg

4.7kg

10.6kg

9.5kg

10.1kg


6.8kg

8.2kg

15.5kg

16kg

57



See p.60

See p.62

2 models

See p.69



You have a Van	l		1		
REAR DOORS			TOW BAR		
			New		T.
Thule Elite G2 Van	Thule Sport G2 Van	Thule Sport G2 2 doors	Thule EasyFold 1 model	Thule EuroClassic G6	Thule EuroWay G2

See p.69

	REAR DOORS										
	Thule Elite G2 Van	p.64	2	2	35kg	19kg		•	Manual	Optional with lock	9.5kg
	Thule Sport G2 Van	p.64	2	2	35kg	19kg		•	Manual	Optional with lock	9.5kg
	Thule Sport G2 2 doors	p.64	2	3	50kg	19kg		•	Manual	Optional with lock	7.3kg
	TOW BAR										
New	Thule EasyFold	p.69	2	2	60kg	30kg	•		Automatic	With locks	17.1kg
-	Thule EuroClassic G6	p.69	2	4	51kg 60kg	25kg			Automatic	With locks	17.6kg 20.7kg
	Thule EuroWay G2	p.69	2	3	46kg 51kg	24kg			Automatic	With locks	13.4kg 16.5kg

Thule Excellent

100% innovation. Pure design

REAR WALL







Maximum capacity: **60kg**







Sliding rails. The rails are adjustable in depth and from the left to the right. They easily slide to make sure you find the best position for your bikes without effort



Wheel holders. Finding the perfect setting for your bike is easy thanks to adjustable wheel holders. They enable you to transport all kinds of bikes with various sizes.



Pump buckles. The Thule wheel straps with pump buckles help you set up your bikes and offer easy and secured fastening of the wheels.



Lockable platform. The platform is locked both in open and closed position to secure your bikes during transportation. This means the platform won't move while you're driving, it is locked automatically.



Bike holders. Adjustable soft-touch bike holders move easily from right to left to align with your bike frame. Your bikes are always secured thanks to the integrated locks.



Thule Excellent - Standard

Recommended for a vertical wall between 80 - 150cm.

LOAD INFO

- 2 bikes extendable to 4
- Weight: 10.6kg
- Max loading weight: 60kg
- Max bike weight: 30kg
 Max bike weight 4th rail: 15kg
- 309821

Thule Excellent - Short

Recommended for a vertical wall between 60 - 80cm.

LOAD INFO

- 2 bikes extendable to 4
- Weight: 10.6kg
- Max loading weight: 60kg
- Max bike weight: 30kg
 Max bike weight 4th rail: 15kg
- 309822

THULE EXTENSION KITS



Thule Excellent 3rd Rail Kit

To position a 3rd bike on the bike carrier. Adjustable in all directions.

• 309823

. . .

Thule Excellent 4th Rail Kit

• 309824

To position a 4th bike on the bike carrier. Fixed outwards and is not adjustable.

Thule Bike Cover

ACCESSORIES

- Thule Rear Warning Sign
- Thule Brake Straps
- Thule Bike Frame Adapter See p.70



See more information on www.thule.com or go to YouTube: typing Thule Excellent

Thule Elite G2

The first ever adjustable bike carrier

REAR WALL
















Bike holders. Adjustable soft-touch bike holders move easily from right to left to align with your bike frame. Your bikes can be secured with the optional knobs with lock.



Lockable platform. The platform is locked both in open and closed position to secure your bikes during transportation. This means the platform won't move while you're driving. The platform is locked manually.



Wheel holders. Finding the perfect setting for your bike is easy thanks to adjustable wheel holders. They enable you to transport all kinds of bikes with various sizes.



Thule Elite G2 - Standard



LOAD INFO

- 2 bikes extendable to 4
- Weight: 10.1kg
- Max loading weight: 60kg
- Max bike weight: 30kg
- Max bike weight 4th rail: 15kg
- 306560



Suitable for E-bikes



Thule Elite G2 - Short

Recommended for a vertical wall between 50 - 80cm.

LOAD INFO

Maximum capacity:

60kg

- 2 bikes extendable to 4
- Weight: 9.5kg
- Max loading weight: 60kg
- Max bike weight: 30kg
- Max bike weight 4th rail: 15kg
- 306561

THULE EXTENSION KITS



Thule Elite G2 3rd Rail Kit

To position a 3rd bike on the bike carrier. • **306565**



Thule Elite G2 4th Rail Kit

To position a 4^{th} bike on the bike carrier. • 309824

ACCESSORIES

- Thule Knob with Lock
- Thule Bike Cover
- Thule Rear Warning Sign
- Thule Brake Straps
- Thule Bike Frame Adapter

See p.70

See more information on www.thule.com

Thule advises when loading your bikes:

• The heaviest must be fixed inwards

• The lightest must be fixed outwards

Thule Sport G2

Created for active lives

REAR WALL - GARAGE









Sliding rails - left and right. The rails are adjustable from the left to the right. They easily slide to make sure you find the best position for your bikes without effort.



both in open and closed position to secure The platform is locked manually.

Bikes load capacity: o√62>3

Maximum capacity: 38 > 50kg





LOAD INFO

- 2 bikes extendable to 3
- Weight: 8.2kg
- Max loading weight: 50kg
- Max bike weight: 19kg
- 307126



- 2 bikes extendable to 3
- Weight: 7.9kg
- Max loading weight: 50kg
- Max bike weight: 19kg
- 307127



- 2 bikes
- Weight: 8kg
- Max loading weight: 38kg
- Max bike weight: 19kg

THULE EXTENSION KITS

Thule Sport G2 3rd Rail Kit To position a 3rd bike on the bike carrier.

• 306563



LOAD INFO

- 2 bikes extendable to 3
- Weight: 6.8kg
- Max loading weight: 50kg Max bike weight: 19kg

Thule Sport G2 - Garage

Tiltable when not in use.

Fixed inside your garage compartment.

• 307128

Garage

LOAD INFO

• 306574

• 2 bikes extendable to 4

Max bike weight: 19kg

Max loading weight: 50kg

• Weight: 5.6kg



- 2 bikes extendable to 3
- Weight: 6.8kg
- Max loading weight: 50kg
- Max bike weight: 19kg
- 306572



Thule E-Bike Rail Kit

• 306577

ACCESSORIES

- Thule Knob with Lock
- Thule Bike Cover
- Thule Rear Warning Sign See p.70

• Thule Brake Straps • Thule Bike Frame Adapter



THULE EXTENSION KIT



Thule Sport G2 4th Rail Kit

To position a 4th bike on the bike carrier. • 306578

ACCESSORIES

- Thule Brake Straps
- Thule Bike Frame Adapter See p.70

Lockable platform. The platform is locked your bikes during transportation. This means the platform won't move while you're driving.

See more information on www.thule.com

Thule Van Bike Carrier

The range designed for vans

REAR DOORS









Doors can be opened with bikes on. The platform is adjustable in 3 height positions. Suitable for Ducato, Jumper and Boxer

LOAD INFO

- 2 bikes
- Weight: 9.5kg
- Max loading weight: 35kg
- Max bike weight: 19kg
- 306564

ACCESSORIES

- Thule Knob with Lock
- Thule Rear Warning Sign
- Thule Brake Straps • Thule Bike Frame Adapter

See p.70



Maximum capacity: 35 > 50kg







Thule Sport G2 - 2 doors

Doors can be opened with bikes on. Either mounted on the lefthand or the righthand rear door.

LOAD INFO

- 2 bikes extendable to 3
- Weight: 7.3kg
- Max loading weight: 50kg
- Max bike weight: 19kg
- 306576

THULE EXTENSION KIT



Thule Sport G2 3rd Rail Kit

To position a 3rd bike on the bike carrier.
• 306577



- Thule Knob with Lock
- Thule Rear Warning Sign
- Thule Brake Straps
- Thule Bike Frame Adapter See p.70







Thule Sport G2 - Van

Doors can be opened with bikes on. Suitable for Ducato, Jumper, Boxer and VW LT until 2007.

LOAD INFO

- 2 bikes
- Weight: 9.5kg
- Max loading weight: 35kg
- Max bike weight: 19kg
- 306575

ACCESSORIES

- Thule Knob with Lock
- Thule Rear Warning Sign
- Thule Brake Straps
- Thule Bike Frame Adapter

See p.70



See more information on www.thule.com

Thule Caravan Bike Carrier

The range designed for A-frames

A-FRAME





Adjustable Tilt-Stop. The Thule Caravan Superb and Thule Caravan Smart are both completely tiltable with bikes on providing easy access to the front locker of the caravan. Thanks to the adjustable Tilt-Stop system the maximum angle to tilt the bike carrier can be set as you please.



Easy & safe. The new locking mechanism makes it very easy to lock the tiltable platform onto the base frame by hand, without any loose parts.



Maximum capacity: 40 > 50 > 60kg



Thule Caravan Superb Superb stability

Strong enough to carry 2 E-bikes. The low platform gives a better center of gravity. It's more safe to drive, and much easier to load your bikes.

Equipment

- Thule Bike Holders with integrated locks
- Thule adjustable Tilt-Stop system
- Completely tiltable with bikes on

ACCESSORIES

- Thule Bike Frame Adapter
- Thule Brake Straps
- See p.70



THULE EXTENSION KIT



Thule Caravan Superb 3rd Rail Kit

To position a 3rd bike on the bike carrier.
• **307131**







- 2 bikes extendable to 3 • Weight: 9.7kg
- Max loading weight: 60kg
- Max bike weight: 30kg
- 307130



Thule Caravan Superb - Short Perfect for short A-frames

Strong enough to carry 2 E-bikes. Equipment

- Thule Bike Holders with integrated locks
- Thule adjustable Tilt-Stop system
- Completely tiltable with bikes on

ACCESSORIES

- Thule Bike Frame Adapter
- Thule Brake Straps

See p.70





LOAD INFO

- Weight: 9.5kg • Max loading weight: 60kg
- Max bike weight: 30kg
- 307181



Thule Caravan Smart Smart features Safe and easy platform lock.

The Thule Caravan Light has been developed to

exceed basic needs. The new foam prevents the bike

and bike holder straps make it easier to fix the bikes.

Partly tiltable, bikes need to be taken off to access

- Equipment • Thule Bike Holders with optional locks
- Thule adjustable Tilt-Stop system
- Completely tiltable with bikes on

ACCESSORIES

- Thule Knob with Lock
- Thule Brake Straps

Thule Caravan Light Light and simple

See p.70

storage space. **ACCESSORIES**

See p.70

• Thule Bike Holder 1 • Thule Brake Straps





LOAD INFO







- Weight: 8.9kg
- Max loading weight: 50kg • Max bike weight: 30kg
- 307129













- Weight: 4.7kg
- Max loading weight: 40kg Max bike weight: 20kg



Thule Lift

Easy up, easy down

Easy access platform, manual or motorised

REAR WALL







Thule Lift closed



Adjustable wheel holder



Bike holder




of 70cm in height. The lowest position of the platform makes loading and unloading your bikes simple.



Manual or motorised. The Thule Lift is available either with hand crank or with 12V motor. The motor has been designed to withstand extensive use. The motor enables you to lower your bike carrier platform in 40 seconds.



Thule Lift 3rd Rail Kit • 306470



Manual version

- 2 bikes extendable to 3
- Weight: 15.5kg
- Max loading weight: 50kg • Max bike weight: 19kg
- 307457



Motor 12V version

- 2 bikes extendable to 3
- Weight: 16kg
- Max loading weight: 50kg
- Max bike weight: 19kg
- 307459

See more information on www.thule.com or go to YouTube: typing Thule Lift



TOW BAR





Easy to mount in only two steps

The new Thule EasyFold is a user-friendly bike carrier for all types of bikes. In a simple twostep operation, you mount the carrier on the towing hook, unfold it, and it's ready to use. All in a matter of seconds.

Equipment

- Thule AcuTight torque limiter knobs that "click" when optimal torque is reached
- Wheel straps with pump buckles for comfortable fastening of wheels
- Foot pedal tilt for easy trunk access even with bikes on • Smart handles for transporting the carrier
- Fully foldable for convenient mounting, handling and storage









LOAD INFO

- Weight: 17.1kg
- Max loading weight: 60kg • Max bike weight: 30kg

ACCESSORIES See p.70

Thule EuroClassic G6 Flexible, practical, secure

TOW BAR





Flexibility and great load capacity



For lighter E-bikes

The Thule EuroClassic G6 fits all bikes and wheel sizes. The loading capacity up to 25kg per rail enables E-bike transport. A wide tilt angle allows opening of even very large rear door even with 4 bikes on. A built-in stop prevents the bikes from touching the ground. Available in two versions.

Equipment

- Thule AcuTight torque limiter knobs that "click" when optimal torque is reached
 • Pump buckles with long wheel straps for easy
- fastening of wheels
- Large frame holders for mounting of round and oval frames (22-80mm)
- Carrier lockable on tow bar and all bikes lockable to carrier









Bikes:	2 > 3	3>4
Weight:	17.6kg	20.7kg
• Max load:	51kg	60kg
 Max bike weight: 	25kg	25kg
	• 928020	• 929020

ACCESSORIES See p.70

Thule EuroWay G2 Compact and lightweight

TOW BAR







The perfect choice if you want the best compact and lightweight bike carrier. The award-winning Thule EuroWay G2 has a modern design and weighs only 13kg as a result of using aluminium and other high-tensile lightweight materials. Available in two versions.

Equipment

- Foot pedal tilt for easy trunk access even with bikes on
- Carrier lockable on tow bar and all bikes lockable to carrier
- Folds flat easily for simple storage and fits in most trunks









LOA	D	INI	FO

Bikes:	2	3
• Weight:	13.3kg	16.4kg
• Max load:	46kg	51kg
 Max bike weight: 	24kg	24kg
	• 920020	• 922020

ACCESSORIES

See more information on www.thule.com

Thule Bike Carrier Accessories

It's all in the details



















Thule Bike Cover

· High quality bike cover to protect your bicycles during transport on a rear mounted bike carrier for recreational vehicles

- Integrated sleeve for warning sign
- Ripstop fabric water resistant
- Carry bag included for clean storage • Not allowed for A-frames or tow bar
- Available in 2 sizes
- 307335 Bike Cover 2/3 bikes
- 307336 Bike Cover 4 bikes

Thule Rear Warning Sign

• Officially approved aluminium rear reflecting panel for protruding loads

Rear Warning Sign -

Spanish type

• 307337

 Mandatory in Spain, Italy, Poland and Hungary when transporting bicycles on the back of a caravan or motorhome





Rear Warning Sign -Italian type

Thule Bike Carrier Adapters

Thule created a wide range of bike carrier adapters

to make the installation of our bike carriers possible

We recommend the installation of the bike carrier is

• 307619



Thule AcuTight Knob 528

- To replace the knob of bike holders without AcuTight
- Adds torque limiter function for clear sign-off of correct mounting of bikes

• 528000



Thule Knob with Lock

- To replace the knob of bike holders without lock • To lock your bicycles on the bike carrier
- Thule One-Key system: use one key for all locks
- Available in packs of 2 or 4
- 526000
- Knob (2pcs) for bike holder with lock + key
- 527000

Knob (4pcs) for bike holder with lock + key



Thule Bike Frame Adapter

- \bullet For easiest possible fitting of bike bikes with non-standard frames and ladies' bikes
- Mounts between saddle-post and steering
- Suitable for sensitive carbon frames that need extra protection



Thule Brake Straps

- Extra safety for your bikes
- Bind around the hand brakes of the bike during transport
- By pulling the brakes, sideways movement is prevented and the bikes are more secured on the carrier
- Delivered per 6 straps
- Length of the strap: 46.5cm
- 306566



Thule Cable Lock

• A strong, coated cable to secure your bikes • Length: 180cm

• 538000



Thule EasyFold Carry Bag

Protecting you and your car from dirt when transporting and storing the Thule EasyFold

• 931100



- Extra-long rail for E-bike with large wheelbase (1.30m) • Makes it possible to transport 1 E-bike on a
- Thule Sport G2 bike carrier
- Easy-fit wheel holders
- Rail can slide left and right

• 306945





Thule Bike Holders with lock

- Adjustable soft-touch bike holders that move from right to left to align with your bike frames
- Patented Key Lock System
- For bike carriers with tube diameter 30mm



• 306463 - Bike Holder 1 with lock length: ± 12cm




• 306464 - Bike Holder 2 with lock length: ± 26cm



• 306466 - Bike holder 4 with lock length: ± 15cm



• 306465 - Bike Holder 3 with lock length: ± 41cm



FOR MORE INFORMATION CONTACT YOUR THULE RECREATIONAL VEHICLE ADVISOR

See more information on www.thule.com



> Why choose the Thule Comfort and **Security Solutions?**

Be demanding when it comes to security and safety. Increase your vehicle accessibility and secure your doors, garages or storage areas with these trustworthy products.

> Thule Comfort Solutions

Make your holiday pleasant and comfortable. With a wide range of steps and ladders, access to your vehicle or roof is effortless.





- Easy access to the roof of your vehicle
- Extra light and robust



- Easy access to your vehicle
- Manual or motorised



- Ideal alternative to air-conditioning
- Integrated mosquito screen

> Thule Security Solutions

Enjoy your activities far from your vehicle with the knowledge your belongings are protected with robust, high quality locks. For safe driving and stability, Thule offers a range of well-designed snow chains and levelers.



Thule Locks

- · Wide range of locks for different
- Maximum security
- Elegant design



Thule Snow Chains

- Excellent grip on ice and snow
- Quick to install and remove



Thule Levelers

- Stability for your vehicle
- Suitable for wider tyres
- 3 different heights

Thule Ladders

Easy access for everybody

COMFORT










Material: anodised or lacquered aluminium







Roof rails with oval profiles

Standard length 3 meters, easy to adjust to the required length. Optional: set of 2 accompanying diagonal rails in aluminium with a standard length of 2.50m.

- Loading capacity: 70kg
- Roof rails aluminium: 307516
- Roof rails white lacquered: 307511
- Cross rails: 307499
- Roof rack for Ducato vans (1.50x1.50m)
 - 307504 (model >2007)
- 307503 (model <2007)





- Backside mounting
- White painted oval arms

• 307496



- Indoor use
- Round anodised tubes



Ladder 6 steps

- Backside mounting
- Round anodised tubes



Ladder 4 steps

- Backside mounting on van
- Round anodised tubes

• 307490



Ladder Ducato 10 steps

- Backside mounting on Ducato model > 2007
 - Round anodised tubes
 - Foldable
 - 307494

Ladder 10 steps

- Backside mounting Round anodised tubes
- Foldable

Ladder Deluxe 11 steps

- Backside mounting
- White painted oval arms
- Foldable • 307497



Extra light and robust

Stainless steel fastening components combined with aluminium profiles means the ladder is super light while also being extra solid.

75

See more information on www.thule.com

Thule Steps

Easy access to your vehicle

COMFORT

















High quality. Extremely robust, the steps are made of corrugated anodised aluminium. Their quality exceeds European quality standard EN1646.

Motorised version. For even greater convenience, opt for the motorised version. This model is operated by a simple switch, conform to the EMV and CE norms.



Extra safety. A switch for the connection of a warning lamp inside the vehicle is


included as standard, making it impossible to drive away with the step still out.

THULE

The aluminium step automatically unfolds when the switch is pressed

2 manual steps





3 motorised steps

76



Single Step 12V Double Step 12V • 380 - 440 - 500mm • 460 - 550mm



Slide-Out Manual



Single Step Manual

See more information on www.thule.com

Thule Vents

Practical for fresh and healthy air

COMFORT









An ideal alternative

to air-conditioning

Mosquito screen. The Thule Vent model includes a removable mosquito screen on the outside to keep dirt and vermin out. It's very easy to clean.




Security. In addition to 12 ventilation speeds, the Thule Vent has an energysaving function, a boost function, and a safety mechanism to guard against excess voltage, incorrect connection and blockage.



Natural airing: use The Thule Vent as a window. An aerodynamic design means you no longer need a spoiler. The roof light is mounted with special clamps so drilling is not needed, except for the opening itself.





- Outside: 47.2x45.9cm Inside: 40x40cm

47.2cm

• Weight: from 3 to 4.5kg • All materials are made of impact and weather-resistant plastics

• Max. 20m3/min.

Ventilation and extraction

• Connection with thermostat or motion sensor is also possible

FINISHES







Thule Locks

Maximum security for your vehicle

SECURITY








Elegant design

Material:

solid powder-coated aluminium





Thule Door Lock

This quality door lock is easy to use: just slide it sideways to lock and secure your doors. Mounted through the wall with a mounting plate, a sealing cover and bolts. Fits left or right



Thule Door Frame Lock

This variant of the Thule Door Lock enables installation when there is no space inside the vehicle to fit the mounting plate. Instead of through the wall, it is screwed into the door frame.



PACK

• 1 piece: 308888

• 3 pieces: 308890



• 1 piece: 308889

• 3 pieces: 308891



Thule Security Handrail

This handrail has a unique double locking design for extra safety: in locked position it folds across the door giving added visible security. Plus, in opened position it offers a sturdy handle to help you get in and out of your vehicle.

PACK

•1 piece: 308892

• Also available: kit for door frame installation • 308893

See more information on www.thule.com











Thule Inside-Out Lock G2

This lock is mounted through the wall of your vehicle and secures the entrance door from the inside and outside. It's lockable from both sides but for your safety it can always be opened from the inside.





- · Large overlap with door for high security
- Can be installed horizontally or vertically
- Max. wall thickness: 45mm

• 1 piece: 307339



Thule Cab Lock

This lock secures your cabin door from the inside with a key. It offers a soft touch cover and matches the colour of your interior. Designed to fit the Fiat Ducato and Ford Transit. Special variants available for MB Sprinter and Renault Master.



Thule Van Lock

This high security lock helps you to secure rear and sliding side doors. Smart and attractive, it fits all van models and matches the colour of your van's bumper and handles.

PACK

• Ducato - 2 pieces: 309830 • Sprinter - 2 pieces: 309831

• 2 pieces: 309833

Thule XS-16

Snow safety you can rely on



SECURITY











Easy installation. Thanks to the Thule patented external quick release system, the chains are extremely quick to install and remove.



High reliability. Equipped with the Thule patented self centring and self tensioning system with micro regulation solution, the chains offer excellent grip on ice and snow.

FOR COMPLETE COMPATIBILITY
(VEHICLE - TYRE'S SIZE - CHAIN) AND OTHER
TECHNICAL INFORMATION PLEASE REFER
TO YOUR THULE RECREATIONAL VEHICLE ADVISOR.



INFO

- From 9.35 to 10.69kg
- 7 sizes from 210 to 245

Online Fit Guide - See more information on www.thule.com

Thule Levelers

The stable way to park



SECURITY









Top stability. Our levelers offer a very large surface area for increased stability, making them ideal for wider tyres, with a maximum load capacity of 5 ton/set.



Elected best levelers: Reisemobil Int. comparison test









Carry bag. The set of two levelers is delivered in a handy carry bag, which makes them easy to store and keep clean.

81

INFO

- 3 heights: 44 78 112mm
- 560Lx200Wx150Hmm

> The world of Thule

What started out in 1942 as a one-man factory making pike traps has today evolved into a world-known brand. These seventy years have been an exciting journey for Thule, and along the way we've developed many innovative products.

And each year the range has grown. In this catalogue we've collected all our recreational vehicle accessories, but that's just a small part of everything that's Thule.

Thule is also a part of Thule Group, a collection of international brands that have one common mission: develop smart ways to simplify your active life.

www.thule.com

Get to know our products and find our dealers.







) PART OF THULE GROUP

THULE IN SOCIAL MEDIA

The full experience of Thule is completed through our other media channels. Visit us at Facebook or be inspired at our Youtube channel, which among other things contains a number of product films.

www.facebook.com/thulebringyourlife www.youtube.com/thulebringyourlife

THULE GROUP

Thule is a part of Thule Group, a collection of international brands that have one common mission: developing smart ways to simplify your active life.

www.thulegroup.com



